

Notice of Allowability

Application No.

10/749,410

Examiner

David M Gray

Applicant(s)

SOTOME, YUSUKE

Art Unit

2851

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the application filed 01-02-2004.
2. ☒ The allowed claim(s) is/are 1-11.
3. ☒ The drawings filed on 02 January 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 04-08-2004
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

The prior art does not disclose or suggest "a press projection and a rocking projection" and "a fulcrum formed on said switch base" in combination with the remaining claim elements as set forth in claims 1-11.


Nakai discloses "a push button [2 and 3] positioned on a switch base [1 and 9] to be supported thereby in a manner to prevent said push button from coming off said switch base; a biasing member [5] positioned between said push button and said switch base at a substantially center of said push button to bias said push button in a direction away from said switch base; a switching element [10] having a press portion [10a], said switching element being provided at a position offset from an axis of said push button; a press projection [2m] and a rocking projection [2f] which are formed on said push button on opposite sides of said center thereof, respectively, said press projection projecting to be associated with said press portion of said switching element [col 9, ln 61 to col 10, ln 8]; and a fulcrum [1g] formed on said switch base to be associated with said rocking projection." In Nakai the first arm portion 2f is always engaged in circular hole 1g. Therefor Nakai does not meet the claimed "wherein said rocking projection and said fulcrum are disengaged from each other when said push button is in a non-depressed position, wherein said rocking projection comes into contact with said fulcrum when said push button is half depressed, and wherein said push button turns about said fulcrum when said push button is further depressed following said half depression of said push button." It would not have been obvious to modify the engagement of 2f and 1g, as this is a pivoting structure necessary for other functions of the Nakai switch.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David M Gray whose telephone number is 571-272-2119. The examiner can normally be reached on M-T 7:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on 571-272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'David M Gray', with a large, stylized flourish extending from the end of the signature.

David M Gray
Primary Examiner
Art Unit 2851